

CAR SCENTS

MATERIAL SAFETY DATA SHEET

MSDS No:		QUICK SMART PRODUCTS
Product Name:	CAR SCENTS	53 ASSEMBLY DRIVE
Manufacturers Code:	FR10, FR11, FR14, FR16, FR20, FR21, FR23, FR24	TULLAMARINE VIC 3043
Date:	August 2010	ABN: 40 959 725 049 (03) 9338 6655 (BH) (03) 9336 7945 (AH)

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name: CAR SCENTS
Company Name: QUICK SMART PRODUCTS
Address: 53 Assembly Drive
Tullamarine Vic 3043
Telephone/Fax: (03) 9338 6655 (BH) Fax: (03) 9335 2598
Recommended Use: AIR FRESHNER – CAR AIR FRESHNER

2. HAZARDS IDENTIFICATION

Hazard Classification: HAZARDOUS SUBSTANCE
NON-DANGEROUS GOODS
Classified as Hazardous according to the criteria of NOHSC Australia.
Classified as Non-Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail.

UN No: None Allocated **DG Class:** None Allocated **Subsidiary Risk(s):** None Allocated
Packing Group: None Allocated **Hazchem Code:** None Allocated **EPG:** None Allocated

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS No	Component
ETHYL ALCOHOL	64-17-5	<15%
WATER	7732-18-5	>60%
CARRIER	Not Available	<10%
PERFUME	Not Available	<5%

4. FIRST AID MEASURES

For advice contact the Poisons Information Centre – 131 126

Eye: Hold eyelids apart and flush the eye continuously with running water for at least 15 minutes. If symptoms develop or persist, seek medical attention.

Inhalation: Remove affected person from contaminated area into fresh air. If not breathing apply artificial respiration, seek urgent medical attention.

Skin: Remove contaminated clothing and launder before re-use. Wash affected areas with soap and copious amounts of water. If irritation develops seek medical attention.

Ingestion: If swallowed, do NOT induce vomiting. Seek medical attention. For advice, contact Poison Information Centre on 13 1126 or a doctor.

Advice to Doctor: Treat symptomatically.

CAR SCENTS

MATERIAL SAFETY DATA SHEET

MSDS No: Product Name: Manufacturers Code: Date:	CAR SCENTS FR10, FR11, FR14, FR16, FR20, FR21, FR23, FR24 August 2010	QUICK SMART PRODUCTS 53 ASSEMBLY DRIVE TULLAMARINE VIC 3043 ABN: 40 959 725 049 (03) 9338 6655 (BH) (03) 9336 7945 (AH)
---	--	---

5. FIRE FIGHTING MEASURES

- Flammability:** Combustible. May evolve toxic gases (carbon oxides, hydrocarbons) when heated to decomposition.
- Fire and Explosion:** Combustible. Evacuate area and contact emergency services. Toxic gases (hydrocarbons, carbon oxides) may be evolved. Remain upwind and notify those downwind of hazard. Wear full protective equipment including Self Contained Breathing Apparatus (SCBA) when combating fire. Use waterfog to cool intact containers and nearby storage areas.

6. ACCIDENTAL RELEASE MEASURES:

- Extinguishing Media:** Dry agent, carbon dioxide or foam. Prevent contamination of drains or waterways.
- Hazchem Code:** None Allocated.
- Spillage:** Caution, spillages are slippery. Personnel involved in cleaning up any spills, it is recommended that they wear rubber or PVC gloves and chemical goggles. Cord off the spillage area. Absorb spillage using sand or a suitable non flammable absorbent material. Collect and place in suitable sealable labelled containers for disposal. Dispose of waste according to Federal, EPA, State and Local Regulations. Assure conformity with all applicable regulations.

7. HANDLING AND STORAGE

- Storage:** Store in a cool, dry, well ventilated area, removed from oxidising agents, acids and foodstuffs. Keep containers tightly closed when not in use. Inspect regularly for deficiencies such as damage or leaks. Store as a Class C1 Combustible Liquid (AS1940).
- Handling:** Before use carefully read the product label. Use of safe work practices are recommended to avoid eye or skin contact and inhalation. Maintain good standards of personal hygiene i.e. washing hands prior to eating, drinking or going to the toilet. Prohibit eating, drinking and smoking in contaminated areas. Keep containers closed when not in use.

8. EXPOSURE CONTROL / PERSONAL PROTECTION

Exposure Standards:	Ingredient	TWA		STEL	
		ppm	mg/m ³	ppm	mg/m ³
	Ethyl Alcohol	1000.0	1880.0	--	--
Biological Limits:	No biological limit allocated.				
Engineering Controls:	Ensure adequate natural ventilation. Maintain vapour levels below the recommended exposure standard.				
Personal Protective Equipment:	Personal Protective Equipment is not required under normal conditions of use. When using large quantities or where heavy contamination is likely, wear approved safety goggles and PVC or rubber gloves.				

CAR SCENTS

MATERIAL SAFETY DATA SHEET

MSDS No:		QUICK SMART PRODUCTS
Product Name:	CAR SCENTS	53 ASSEMBLY DRIVE
Manufacturers Code:	FR10, FR11, FR14, FR16, FR20, FR21, FR23, FR24	TULLAMARINE VIC 3043
Date:	August 2010	ABN: 40 959 725 049 (03) 9338 6655 (BH) (03) 9336 7945 (AH)

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Clear Tan Liquid	Solubility (Water):	Soluble
Odour:	Aromatic	Specific Gravity (20°C):	0.89
Vapour Pressure:	Not Available	Percent Volatiles:	93%
Vapour Density:	Heavier than air	Flammability Limits:	LEL: 1.5% UEL: 15%
Boiling Point:	80°C	Flash Point:	23°C P.C.C.
Evaporation Rate:	Faster than water	Autoignition Temperature:	500C

10. STABILITY AND REACTIVITY

Hazardous Decomposition:	May evolve toxic gases (carbon oxides, hydrocarbons) when heated to decomposition.
Conditions to Avoid:	Incompatible with oxidising agents, acids, heat and ignition sources.

11. TOXICOLOGICAL INFORMATION

Eye:	Irritant. Contact may result in irritation, stinging and burning sensation.
Inhalation:	Low to moderate irritant. Over exposure may result in irritation of the nose and throat, coughing, dizziness and headache. Due to the low vapour pressure, an inhalation hazard is not anticipated with normal use.
Skin:	Low irritant. Prolonged or repeated contact may cause dryness of the skin or mild irritation.
Ingestion:	Very low oral toxicity. Ingestion may cause burning to throat. Consumption of large doses may cause intoxication.
Toxicity Data:	No data is available on this product mixture.

12. ECOLOGICAL INFORMATION

Environment:	This product is not anticipated to cause adverse effects to animal or plant life if released to the environment in small quantities. Not expected to bioaccumulate.
---------------------	---

13. DISPOSAL CONSIDERATIONS

Disposal Considerations:	Dispose of waste according to Federal, EPA, State and Local Regulations. Assure conformity with all applicable regulations.
---------------------------------	---

14. TRANSPORT INFORMATION

Transport:	Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail.
-------------------	---

15. REGULATORY INFORMATION

Poisons Schedule:	A poison schedule number has not been allocated to this product using the criteria in the Standard for the Uniform Scheduling of Drugs and Poisons (SUSDP).
ACICS:	All chemicals listed on the Australian Inventory of Chemical Substances (AICS).

CAR SCENTS

MATERIAL SAFETY DATA SHEET

MSDS No:		QUICK SMART PRODUCTS
Product Name:	CAR SCENTS	53 ASSEMBLY DRIVE
Manufacturers Code:	FR10, FR11, FR14, FR16, FR20, FR21, FR23, FR24	TULLAMARINE VIC 3043
Date:	August 2010	ABN: 40 959 725 049 (03) 9338 6655 (BH) (03) 9336 7945 (AH)

16. OTHER INFORMATION

Contact Person/Point: Technical Information: (03) 9338 6655

Date of Preparation or last revision of MSDS: MSDS reviewed: 27 August 2010

This MSDS summarises our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. Each user must review this MSDS in the context of how the product will be handled in the workplace and in conjunction with other materials. If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact this company.

END OF MSDS